

CarS

Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL STALKER DUAL DSR BAND KA - BAND MFR APPLIED CONCEPTS, INC.

SERIAL NUMBER 012009 ANT. #1 142841 ANT. #2 146946

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE October 23, 2020
SIGNED [Signature]

C5

CA 5

Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON

MODEL STALKER DUAL DSR BAND KA - BAND MFG APPLIED CONCEPTS, INC.

SERIAL NUMBER 012009 ANT. #1 142841 ANT. #2 146946


A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS.

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

DATE

September 15, 2021

SIGNED



CS

TUNING FORK
Certificate of Accuracy

THIS IS TO CERTIFY THAT ON September 15, 2021

TUNING FORK SERIAL NUMBER 254306 WAS TESTED

AND FOUND TO OSCILLATE AT 2612 CYCLES PER SECOND.

SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE 34.700 GHZ BAND TO

READ 25 MPH.

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

SIGNED 

CS

TUNING FORK

Certificate of Accuracy

THIS IS TO CERTIFY THAT ON September 15, 2021

TUNING FORK SERIAL NUMBER 361641 WAS TESTED

AND FOUND TO OSCILLATE AT 4161 CYCLES PER SECOND.

SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE 34.700 GHZ BAND TO

READ 40 MPH

R & R RADAR, INC.
762 WHITE HORSE PIKE
ATCO, N.J. 08004

SIGNED 

C5

Certificate of Calibration

THIS IS TO CERTIFY THAT ALL APPLICABLE TESTS AND MEASUREMENTS HAVE BEEN MADE ON
 MODEL **STALKER DUAL DSR** BAND **KA - BAND** MFR **APPLIED CONCEPTS, INC.**
 SERIAL NUMBER **012009** ANT. #1 **142841** ANT. #2 **146946**

A "DOPPLER" TRAFFIC RADAR. THE AFORESTATED RADAR MEETS AND EXCEEDS ALL SPECIFICATIONS
R & R RADAR, INC. DATE **October 5, 2022**
 762 WHITE HORSE PIKE
 ATCO, N.J. 08004 SIGNED *[Signature]*

© GOES 406

LITHO IN U.S.A.

C5

TUNING FORK

Certificate of Accuracy

THIS IS TO CERTIFY THAT ON **October 5, 2022**
 TUNING FORK SERIAL NUMBER **254306** WAS TESTED
 AND FOUND TO OSCILLATE AT **2611** CYCLES PER SECOND.
 SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE **34.700** GHZ BAND TO
 READ **25** MPH.

R & R RADAR, INC.
 762 WHITE HORSE PIKE
 ATCO, N.J. 08004 SIGNED *[Signature]*

© Goes 4418

C5

TUNING FORK

Certificate of Accuracy

THIS IS TO CERTIFY THAT ON **October 5, 2022**
 TUNING FORK SERIAL NUMBER **361641** WAS TESTED
 AND FOUND TO OSCILLATE AT **4162** CYCLES PER SECOND.
 SUCH OSCILLATION CAUSES A DOPPLER RADAR OPERATING IN THE **34.700** GHZ BAND TO
 READ **40** MPH.

R & R RADAR, INC.
 762 WHITE HORSE PIKE
 ATCO, N.J. 08004 SIGNED *[Signature]*